高邮市力博机床附件厂
GAOYOU LIBO MACHINE TOOL ACCESSORIES FACTORY

力博 LIBO MACHINERY
www.gylibo.com

地址：江苏高邮市卸甲镇工业园区
Add: Industrial of Xiejia Town, Gaoyou, Jiangsu
电话/TEL：86-514-84733409
传真/FAX：86-514-84505388
外贸部电话（Foreign trade department tel）：86-519-85186511
手机/mobile phone：13805257409　18901458456
邮箱/E-mail：gylibowtf@126.com
网址/URL：www.gylibo.com　https://gylb.en.alibaba.com

力博 LIBO MACHINERY
www.gylibo.com

PROFESSIONAL ACHIEVEMENT
FOR YOU AND ME
专业成就你我








2021

高邮市力博机床附件厂
GAOYOU LIBO MACHINE TOOL ACCESSORIES FACTORY

力博 LIBO MACHINERY
www.gylibo.com



Contents 目录

全球客户的共同选择

我们时刻追求完美，

务求所有细节都赢得赞赏。

无论面对任何技术问题，

我们的目标只有一个：

您对力博产品的满意和认可！

The common choice of global clients

We always strive for perfection,

We strive to win appreciation for all details.

No matter what technical problems we face,

We have only one goal:

Your satisfaction and approval of LIBO’s products!

企业简介 COMPANY INTRODUCTION

高邮市力博机床附件厂成立于2002年，是一家专业生产各类机床附件的工厂。15年的生产研发经验不仅使我们拥有了一支团结且专业的团队，更是吸引了一批来自全球的优质客户！为了满足各类客户的需求，我们不仅引进了先进的生产设备，而且在生产工艺上不断推陈出新！追求卓越的品质，热情周到的服务，拥有竞争力的价格一直是我们服务的宗旨！

Gaoyou LIBO Machine Tool Accessories Factory was founded in 2002,which is a professional manufacturer of different kinds of machine tool accessories.15 years of experience in researching and developing products not only makes us have a united, professional team, but also attract a batch of high quality customers from all over the world.In order to meet the requirements of various customers, we not only introduced the advanced equipments,but also developed new production technology.The pursuit of excellence quality, warm and thoughtful service, competitive price has always been our service tenet!

企业精神：

奋力拼搏，精益求精；追求品质，争创名牌。

The sprit of enterprise:

Work hard, keep improving; supply High quality products, creating famous brand.

企业文化：

诚实守信，务实干事；用户至上，合作共赢。

Enterprise culture:

To be honest and trustworthy, be a practical man ;The user is supreme, the win-win cooperation.

买家分布图：

Area Map for clients:



VISES

MC倍力机用平口钳
MC Compact Machine Vise



型号 Model	A mm	B mm	C mm	D mm	E mm	F1 mm	F2 mm	F3 mm	F4 mm	G mm	夹紧力(kgf) Clamping force	净重(kg) NW	包装体积(cm) Packing size
MC-4"	102	490	365	133	48	0-150	65-230	110-276	175-360	18	4000	32	560×160×185
MC-5"	130	540	415	150	55	0-180	75-270	125-305	213-393	18	4500	38	640×190×205
MC-6"	160	674	550	163	63	0-300	85-400	120-438	205-521	18	4500	60	760×235×240

MC 增压快速虎钳
MC Pneumatic Super Pressure Vice



型号 Model	A mm	B mm	C mm	D mm	E mm	F1 mm	夹持力(kgf) Clamping force	安全夹持距离(mm) Safe clamping distance	包装体积(cm) Packing size
CLB-6"	636	510	165	160	63	250	6000	6	63×25×21

GT 精密平口钳

GT Precision Vise





型号 Model	B mm	H mm	Smax mm	L mm	最大夹紧力(kg) Clamping force
GT100 × 100	100	30	100	270	3000
GT125 × 150	125	40	150	345	3000
GT150 × 200	150	50	200	420	5000
GT150 × 300	150	50	300	520	5000
GT175 × 200	175	60	200	455	6000
GT175 × 300	175	60	300	555	6000
GT175 × 400	175	60	400	655	6000
GT175 × 500	175	60	500	755	6000
GT175 × 600	175	60	600	855	6000
GT200 × 200	200	65	200	495	10000
GT200 × 300	200	65	300	595	10000
GT200 × 400	200	65	400	695	10000
GT200 × 500	200	65	500	795	10000
GT200 × 600	200	65	600	895	10000
GT300 × 200	300	80	200	535	12000
GT300 × 300	300	80	300	635	12000
GT300 × 400	300	80	400	735	12000
GT300 × 500	300	80	500	835	12000
GT300 × 600	300	80	600	935	12000
GT300 × 700	300	80	700	1035	12000
GT300 × 800	300	80	800	1135	12000

SQM 双向夹紧机用钳

SQM Two-way Clamping Vise





型号 Model	A mm	B mm	C mm	D mm	E mm	F mm	包装体积(cm) Packing size	净重/毛重(kg) NW/GW
4	488	92	75	30	390	100	54 × 15 × 17	14/15
6	608	120	100	44	510	152	68 × 22 × 19	33/35

QM 全磨光机用钳

QM Polished Machine Vise



型号 Model	A mm	B mm	C mm	D mm	E mm	F mm	包装体积(cm) Packing size	净重/毛重(kg) NW/GW
4	320	270	95	120	30	100	38 × 15 × 17	10/11
6	438	385	120	160	44	152	50 × 22 × 19	25/27

VISES

QGZ 机用钳

QGZ Machine Vise with Swivel Base





型号 Model	A mm	B mm	C mm	D mm	E mm	F mm	G mm	H mm	包装体积(cm) Packing size	净重/毛重(kg) NW/GW
6	388	216	156	272	34	68	151	156	40×25×20	32/34

QGM 机用钳

QGM Machine Vise with Swivel Base



型号 Model	钳口宽度(mm) Width of jaw	钳口高度(mm) Height of jaw	总高度(mm) Total height	钳口张开度(mm) Max.opening	包装体积(cm) Packing size	净重/毛重(kg) NW/GW
6	155	43	160	225	53×32×22	49/51

QG 机用钳

QG Machine Vise with Swivel Base



型号 Model	A mm	B mm	C mm	D mm	E mm	F mm	G mm	H mm	I mm	J mm	K mm	包装数量 Qty/ctn	包装体积(cm) Packing size	净重/毛重(kg) NW/GW
3	160	14	80	24	196	96	238	258	72	108	80	1	30×26×14	8/8.5
4	230	14	100	34	260	130	325	355	102	150	104	1	39×30×16	18/19
5	250	16	110	36	270	140	365	400	122	172	125	1	44×32×18	24/25
6	290	22	130	44	335	155	400	440	146	202	150	1	49×35×20	34/35
8	320	18	230	50	350	175	500	535	190	245	200	1	61×39×24	41/43

EK 机用钳

EK Machine Vise with Swivel Base



型号 Model	A mm	B mm	C mm	D mm	E mm	F mm	G mm	H mm	I mm	K mm	包装数量 Qty/ctn	包装体积(cm) Packing size	净重/毛重(kg) NW/GW
4	315	125	135	100	65	38	190	35	12	296	1	36×24×16	11/12
5	370	138	155	130	85	39	210	35	12	372	1	41×26×18	13/15
6	435	138	170	150	105	39	235	35	12	420	1	47×30×19	21/23
8	603	184	232	200	150	59	340	40	17	570	1	65×27×25	43/45

QH 机用钳

QH Machine Vise with Swivel Base



型号 Model	A mm	B mm	C mm	D mm	E mm	F mm	G mm	H mm	I mm	J mm	K mm	包装数量 Qty/ctn	包装体积(cm) Packing size	净重/毛重(kg) NW/GW
Heavy 4	275	240	124	80	34	30	51	102	95	200	14	1	36×24×16	15/16
Heavy 5	320	254	128	100	38	32	52	125	115	225	14	1	39×26×18	19/20
Heavy 6	375	310	156	125	50	40	66	150	142	270	16	1	47×30×19	32/33
Heavy 8	440	350	168	160	62	42	66	200	190	310	16	1	53×31×24	49/52

QB 机用钳

QB Machine Vise with Swivel Base



型号 Model	A mm	B mm	C mm	D mm	E mm	F mm	G mm	H mm	J mm	K mm	包装数量 Qty/ctn	包装体积(cm) Packing size	净重/毛重(kg) NW/GW
5	220	152	14	126	150	32	42	304	345	125	1	45×21×19	14/15
6	258	195	14	152	170	36	52	356	400	160	1	45×21×19	28/29
8	310	224	16	182	190	36	66	410	450	200	1	49×25×22	43/45

QKF-JM 精密十字钳

QKF-JM Precision Cross Vise



型号 Model	A mm	B mm	C mm	D mm	E mm	F mm	G mm	H mm	J mm	K mm	X行程 x travel	Y行程 Y travel	包装数量 Qty/ctn	包装体积(cm) Packing size	净重/毛重(kg) NW/GW
4	218	175	140	105	184	100	156	34	85	100	140	80	1	41×36×22	11/14
6	270	205	170	105	245	135	170	40	135	150	150	110	1	51×40×23	16/18
8	320	235	200	105	284	165	185	54	165	160	160	140	1	54×42×24	24/28

QKF-JK 精密快速十字平口钳

QKF-JK Precision Quick Cross Vise





型号 Model	A mm	B mm	C mm	D mm	E mm	F mm	G mm	H mm	J mm	K mm	X行程 x travel	Y行程 Y travel	包装数量 Qty/ctn	包装体积(cm) Packing size	净重/毛重(kg) NW/GW
3	168	180	175	106	80	32	80	125	200	46	100	60	1	33×30×21	7.5/9
4	168	195	200	106	100	39	80	140	218	46	110	70	1	41×36×22	10.5/12
6	174	205	242	106	150	46	80	170	270	46	120	100	1	51×40×23	14.5/16
8	180	205	320	106	200	50	80	200	320	46	130	120	1	44×40×24	21.5/24

QKFB-JM 精密十字旋转平口钳

QKFB-JM Precision Cross Vise With Swivel





型号 Model	A mm	B mm	C mm	D mm	E mm	F mm	G mm	H mm	J mm	K mm	X行程 X travel	Y行程 Y travel	包装数量 Qty/ctn	包装体积(cm) Packing size	净重/毛重(kg) NW/GW
4	164	210	208	113	110	34	80	106	180	46	120	80	1	41×36×22	11.2/12.2
6	178	230	245	135	135	40	80	106	204	46	150	110	1	51×40×23	16/17
8	195	285	284	165	165	54	80	106	248	46	160	140	1	54×41×22	27/28

QKFB-JK 精密快动十字旋转平口钳

QKFB-JK Precision Quick Type Cross Vise With Swivel Base





型号 Model	A mm	B mm	C mm	D mm	E mm	F mm	G mm	H mm	K mm	X行程 X travel	Y行程 Y travel	包装数量 Qty/ctn	包装体积(cm) Packing size	净重/毛重(kg) NW/GW
4	176	210	200	106	100	39	80	180	46	120	80	1	41×36×22	12.2/13.2
6	182	230	242	106	150	46	80	204	46	150	110	1	51×40×23	15/16
8	190	285	320	106	200	46	80	248	46	160	140	1	54×41×22	27/28

BMS 丝杆缩入式平口钳

BMS Drill Precision Vise



型号 Model	A mm	B mm	C mm	D mm	E mm	F mm	G mm	H mm	K mm	包装数量 Qty/ctn	包装体积(cm) Packing size	净重/毛重(kg) NW/GW
3	230	150	135	105	85	11	58	29	65	5	34×27×16	15/17
4	280	182	156	125	100	13	68	33	85	5	38×31×18	22/23
5	320	210	175	140	120	14	72	33	110	5	40×35×20	27/28.5
6	380	240	195	160	150	14	78	39	135	5	47×44×22	38/40
8	450	284	248	215	201	16	94	53	165	1	28×14×48	13/14

TQ 平口钳

TQ Precision Drill Press Vise



型号 Model	A mm	B mm	C mm	D mm	E mm	F mm	G mm	H mm	包装数量 Qty/ctn	包装体积(cm) Packing size	净重/毛重(kg) NW/GW
4	290	170	135	100	12	75	110	44	1	40×22×12	8/9
6	335	220	180	140	14	82	140	44	1	50×29×15	15/17
8	430	280	280	200	16	100	200	60	1	64×36×18	32/34

VISES

QE 立卧式平口钳

QE Veritical & Horizontal Vise



型号 Model	A mm	B mm	C mm	D mm	E mm	F mm	G mm	H mm	J mm	包装数量 Qty/ctn	包装体积(cm) Packing size	净重/毛重(kg) NW/GW
4	190	155	125	100	14	100	65	34	95	5	38×31×18	22/24
5	210	174	142	125	14	110	69	34	110	5	40×35×20	32/34
6	232	186	160	150	14	135	78	40	130	5	46×35×20	37/39

QZ 欧式平口钳

QZ European Vises



型号 Model	A mm	B mm	C mm	D mm	E mm	F mm	G mm	H mm	K mm	包装数量 Qty/ctn	包装体积(cm) Packing size	净重/毛重(kg) NW/GW
3	215	130	130	100	80	12	54	27	55	10	46×30×16	22/24
4	260	175	162	128	100	12	56	27	90	10	57×33×20	31/33
5	300	204	182	150	125	12	64	33	110	5	36×32×21	22/24
6	328	232	208	170	125	12	68	33	135	5	39×36.5×24	29/31
8	400	300	248	210	200	12	72	39	190	3	44×34×30	31/33

EKM 机用钳

EKM Machine Vise with Swivel Base

型号 Model	钳口宽度(mm) Width of jaw	钳口高度(mm) Height of jaw	钳口张开度(mm) Max.opening	总高度(mm) Total height	包装体积(cm) Packing size	净重/毛重(kg) NW/GW
4	100	40	100	124	41×19×15	14/15
6	160	54	150	158	65×29×25	33/34

QZX 正弦钳

QZX Industrial angel vice

型号 Model	钳口宽度(mm) Width of jaw	钳口高度(mm) Height of jaw	钳口张开度(mm) Max.opening	总高度(mm) Total height	包装体积(cm) NW/GW	净重/毛重(kg) Packing size
4	100	45	100	156	37×19×17	16/17
6	160	52	180	186	49×28×22	38/39

QKCX 快动夹具

QKCX Quick release vice

3"

4"、6"、8"

型号 Model	钳口宽度(mm) Width of jaw	钳口高度(mm) Height of jaw	钳口张开度(mm) Max.opening	包装数量 Qty/ctn	包装体积(cm) Packing size	净重/毛重(kg) NW/GW
3	75	25	76	4	33×27×19	22/24
4	100	38	102	1	33×16×10	8/8.5
6	160	42	152	1	40×25×13	14/15
8	200	42	203	1	51×31×14	23/24

QKF–JS 精密十字钳
QKF–JS Precision Cross Vice

型号 Model	钳口宽度(mm) Width of jaw	钳口高度(mm) Height of jaw	钳口张开度(mm) Max.opening	包装数量 Qty/ctn	包装体积(cm) Packing size	净重/毛重(kg) NW/GW
3	75	35	76	1	33×32×20	7/8
4	100	46	102	1	33×33×20	9/10
6	160	53	152	1	45×43×25	27/28
8	200	53	203	1	53×43×26	33/35

QKCF 导杆平口钳
QKCF Quide–bar Type Vice

型号 Model	钳口宽度(mm) Width of jaw	钳口高度(mm) Height of jaw	钳口张开度(mm) Max.opening	包装数量 Qty/ctn	包装体积(cm) Packing size	净重/毛重(kg) NW/GW
3	75	35	76	6	32×24×25	24/25
4	100	46	102	4	36×26×20	21/23
6	160	53	152	1	37×27×13	14/15
8	53	53	203	1	45×32×13	22/23

QKCJ 精密平口钳
QKCJ Precision Vice



型号 Model	钳口宽度(mm) Width of jaw	钳口高度(mm) Height of jaw	钳口张开度(mm) Max.opening	包装数量 Qty/ctn	包装体积(cm) Packing size	净重/毛重(kg) NW/GW
4	100	38	100	5	30×25×19	22/24
6	100	47	150	1	39×19×13	11/11.5

QKFB 十字旋转平口钳
QKFB Cross Slide Vise with Swivel Base

型号 Model	钳口宽度(mm) Width of jaw	钳口高度(mm) Height of jaw	钳口张开度(mm) Max.opening	包装数量 Qty/ctn	包装体积(cm) Packing size	净重/毛重(kg) NW/GW
3	80	30	70	1	28×28×20	8/9
4	102	38	90	1	28×28×20	12/13
5	125	40	120	1	34×34×21	17/18
6	150	42	150	1	36×36×21	20/21

QKCD 可倾平口钳
QKCD Tiltable Vice

型号 Model	钳口宽度(mm) Width of jaw	钳口高度(mm) Height of jaw	钳口张开度(mm) Max.opening	包装数量 Qty/ctn	包装体积(cm) Packing size	净重/毛重(kg) NW/GW
3	75	35	76	4	38×23×25	22/23
4	100	46	102	1	25×21×14	8/8.5

AM 美式平口钳
AM American Type Vice

型号 Model	钳口宽度(mm) Width of jaw	钳口高度(mm) Height of jaw	钳口张开度(mm) Max.opening	包装数量 Qty/ctn	包装体积(cm) Packing size	净重/毛重(kg) NW/GW
2.5	65	20	55	10	32×31×18	13/14
3	80	20	80	10	33×33×22	18/19
4	100	20	100	10	37×33×25	24/26
5	125	22	120	5	36×29×23	18/19
6	150	25	150	5	38×32×25	24/26

VISES

QKY 焊接钳
QKY 90 Degree Angle Vice Clamp



型号 Model	A mm	B mm	C mm	D mm	E mm	F mm	G mm	H mm	J mm	包装数量 Qty/ctn	包装体积(cm) Packing size	净重/毛重(kg) NW/GW
2.5	200	245	100	70	75	65	34	360	130	5	40×24×25	24/26
4	240	295	130	105	105	91	60	335	130	3	31×31×33	31/33

QKY-KD 快动焊接钳
QKY-KD Quick Type Welding Vise



型号 Model	A mm	B mm	C mm	D mm	E mm	F mm	G mm	H mm	J mm	包装数量 Qty/ctn	包装体积(cm) Packing size	净重/毛重(kg) NW/GW
2.5	200	245	100	70	75	65	34	360	130	5	40×24×25	24/26
4	240	295	130	105	105	91	60	335	130	3	31×31×33	31/33

QX 多功能台虎钳
QX Multi-Jaw Rotaing Bench Vice

型号 Model	钳口宽度(mm) Width of jaw	钳口高度(mm) Height of jaw	钳口张开度(mm) Max.opening	包装体积(cm) Packing size	净重/毛重(kg) NW/GW
5	130	85	100	48×21×32	25/27

CDZ 刀架
CDZ Tool Holder



型号 Model	A mm	B mm	C mm	D mm	E mm	F mm	G mm	H mm	I mm	J mm	行程 Travel	包装体积(cm) Packing size	净重/毛重(kg) NW/GW
CDZ	258	183	193	54	36	52	80	66	85	60	75	27×24×14	5/6

AKP 固定十字工作台

AKP Cross Slide Table



AKP-201 & AKP-203



AKP-202

AKP-204 & AKP-205



型号 Model	A mm	B mm	C mm	D mm	E mm	F mm	G mm	H mm	J mm	K mm	X行程 x travel	Y行程 Y travel	包装数量 Qty/ctn	包装体积(cm) Packing size	净重/毛重(kg) NW/GW
201	185	100	10	35	102	170	130	115	100	96	80	50	1	30×29×18	10/11
202	225	175	12	72	108	225	175	148	160	96	105	90	1	35×34×18	15/16
203	330	220	12	72	115	275	220	190	200	96	190	100	1	49×39×19	24/26
204	425	240	12	72	125	335	276	240	245	144	225	150	1	60×44×18	41/45
205	600	240	12	72	125	335	276	240	245	144	400	150	1	77×44×18	51/56

AKP-1 旋转十字工作台

AKP Cross Slide Table With Swivel Base

AKP-1-302



AKP-1-303

AKP-1-304 & AKP-1-305



型号 Model	A mm	B mm	C mm	D mm	E mm	F mm	G mm	H mm	J mm	K mm	X行程 x travel	Y行程 Y travel	包装数量 Qty/ctn	包装体积(cm) Packing size	净重/毛重(kg) NW/GW
302	225	175	12	72	138	175	232	195		96	105	90	1	35×34×21	18/19
303	330	220	12	72	155	280	160	240	200	96	190	100	1	45×39×22	28/29
304	425	240	12	72	165	335	340	250	250	123	225	150	1	60×44×22	47/53
305	600	240	12	72	165	335	340	250	250	123	400	150	1	77×44×22	55/60

AKB 复合工作台

AKB Compound Table



AKB–1



AKB–2



AKB–3



型号 Model	A mm	B mm	C mm	D mm	E mm	F mm	G mm	H mm	J mm	K mm	X行程 x travel	Y行程 Y travel	包装数量 Qty/ctn	包装体积(cm) Packing size	净重/毛重(kg) NW/GW
AKB–1	300	140	16	65	300	232	85	208	234	182	180		1	50×29×15	13/14
AKB–2	300	140	16	65	300	232	123	208	234	182	180	100	1	38×30×14	17/18
AKB–3	300	140	16	65	300	232	123	208	234	182	180	100	1	45×39×21	17/18

TC–18 十字工作台

TC–18 Cross Slide Table



TC–18



TC–18–2



型号 Model	A mm	B mm	C mm	D mm	E mm	F mm	G mm	H mm	J mm	K mm	L mm	X行程 x travel	Y行程 Y travel	包装数量 Qty/ctn	包装体积(cm) Packing size	净重/毛重(kg) NW/GW
TC18	473	156	14	62.5	94	108	134	305	170	152	130	270	120	1	67×43×22	26/28
TC18–2	473	156	14	62.5	94	108	134	310	170	220	130	270	130	1	67×43×22	26/28

BF 十字工作台

BF Precision Cross Slide Table



BF-16



BF-20 & BF-30



型号 Model	A mm	B mm	C mm	D mm	E mm	F mm	G mm	H mm	J mm	X行程 x travel	Y行程 Y travel	包装数量 Qty/ctn	包装体积(cm) Packing size	净重/毛重(kg) NW/GW
BF16	400	120	10	145	282	222	200	160	110	220	160	1	49×38×20	23/27
BF20	500	180	12	151	355	260	235	200	116	280	175	1	65×44×22	45/50
BF30	700	180	12	151	355	260	235	200	116	480	175	1	85×44×22	54/60

AKM 十字工作台

AKM Cross Slide Table



AKM-200



型号 Model	A mm	B mm	C mm	D mm	E mm	F mm	G mm	H mm	I mm	J mm	X行程 x travel	Y行程 Y travel	包装数量 Qty/ctn	包装体积(cm) Packing size	净重/毛重(kg) NW/GW
200	72	200	100	160	90	8	30	120	58	80	135	70	3	29×26×28	15/17

AKT 十字工作台

AKT Cross Slide Table



AKT-550 & AKT-640



型号 Model	A mm	B mm	C mm	D mm	E mm	F mm	G mm	H mm	J mm	K mm	L mm	X行程 x travel	Y行程 Y travel	包装数量 Qty/ctn	包装体积(cm) Packing size	净重/毛重(kg) NW/GW
550	550	195	12	65	840	148	316	272	240	180	145	310	150	1	72×41×21	45/50
640	640	205	12	65	930	148	316	272	240	180	145	400	150	1	81×41×21	59/66

AKP-2 精密型工作台

AKP Precision Cross Slide Table

AKP-2-204 &
AKP-2-205 &
AKP-2-206





型号 Model	A mm	B mm	C mm	D mm	E mm	F mm	G mm	H mm	J mm	K mm	X行程 x travel	Y行程 Y travel	包装数量 Qty/ctn	包装体积(cm) Packing size	净重/毛重(kg) NW/GW
204	425	240	12	72	150	335	275	240	250	123	225	150	1	60×44×22	44/49
205	600	240	12	72	150	335	275	240	250	123	400	150	1	77×44×22	52/58
206	730	210	12	64	154	390	315	280	300	123	500	210	1	91×51×22	67/73

206-Z 走刀器工作台

206-Z Cross Slide Table With Power Feed



206-Z



型号 Model	A mm	B mm	C mm	D mm	E mm	F mm	G mm	H mm	J mm	K mm	L mm	X行程 x travel	Y行程 Y travel	包装数量 Qty/ctn	包装体积(cm) Packing size	净重/毛重(kg) NW/GW
206-Z	730	210	14	64	123	251	300	390	270	305	182	500	210	1	100×66×24	78/86

CROSS TABLES

AKP-B 数控工作台

AKP-B CNC Cross Slide Table With Stepper Motor



AKP-B



型号 Model	A mm	B mm	C mm	D mm	E mm	F mm	G mm	H mm	J mm	K mm	L mm	X行程 x travel	Y行程 Y travel	包装数量 Qty/ctn	包装体积(cm) Packing size	净重/毛重(kg) NW/GW
204	425	240	12	72	182	128	177	335	250	275	240	225	150	1	65×55×24	52/55
205	600	240	12	72	182	128	177	335	250	275	240	400	150	1	87×55×24	60/55
206	730	210	12	64	186	128	182	390	300	300	270	500	210	1	100×66×24	80/88

HTC 组合滑台

HTC Combination sliding table





型号 Model	A mm	B mm	C mm	D mm	E mm	F mm	G mm	H mm	K mm	L mm	X行程 X travel	Z行程 Z travel	净重(kg) NW
100	100	150	270	87	32	300	250	35	9	85	150	120	16
150	150	200	400	87	32	300	250	40	11	120	100	200	28

HTCJ 组合滑台

HTCJ Combination sliding table





型号 Model	A mm	B mm	C mm	D mm	E mm	F mm	G mm	H mm	K mm	L mm	M mm	X行程 X travel	Z行程 Z travel	净重(kg) NW
100	100	138	270	87	32	300	250	50	9	85	10	200	120	17
150	150	188	400	87	32	300	250	72	11	120	12	150	230	31

CROSS TABLES

HTQ 组合滑台

HTQ Combination Sliding Table





型号 Model	A mm	B mm	C mm	D mm	E mm	F mm	G mm	H mm	K mm	L mm	X行程 X travel	Z行程 Z travel	净重(kg) NW
100	100	150	270	87	32	300	250	35	9	85	150	105	16
150	150	200	400	87	32	300	250	40	11	120	100	185	28

HT 滑台

HT Slide Table



型号 Model	A mm	B mm	C mm	D mm	E mm	F mm	G mm	H mm	K mm	X行程 X travel	净重(kg) NW
100	100	150	300	87	85	250	67	35	9	150	8.2
150	150	200	300	87	120	250	72	40	11	100	11

HTQJ 组合滑台

HTQJ Combination Sliding Table





型号 Model	A mm	B mm	C mm	D mm	E mm	F mm	G mm	H mm	K mm	L mm	M mm	X行程 X travel	Z行程 Z travel	净重(kg) NW
100	100	138	270	87	32	300	250	50	9	85	10	200	105	17
150	150	188	400	87	32	300	250	72	11	120	12	150	215	31

HTL 立式滑台

HTL Vertical Slide Table



型号 Model	A mm	B mm	C mm	D mm	E mm	F mm	G mm	H mm	K mm	Z行程 Z travel	净重(kg) NW
100	100	150	270	87	70	50	135	35	11	120	11.2
150	150	200	400	87	120	80	190	40	13	200	19

CROSS TABLES

HTJ 立式滑台

HTJ Vertical Slide Table





型号 Model	A mm	B mm	C mm	D mm	E mm	F mm	G mm	H mm	K mm	X行程 X travel	净重(kg) NW
100	100	138	270	87	70	50	50	10	11	120	12
150	150	188	400	87	120	80	72	12	13	230	25

HTJ-2 组合滑台

HTJ-2 Combination Sliding Table





型号 Model	A mm	B mm	C mm	D mm	E mm	F mm	G mm	H mm	K mm	M mm	Z mm	X mm	净重(kg) NW
100	100	138	270	87	70	50	50	10	11	185	150	85	17
150	150	188	400	87	120	80	72	12	13	250	230	100	31

HTQJ-2 三轴组合滑台

HTQJ-2 Three-axis Combined Slide Table





型号 Model	A mm	B mm	C mm	D mm	E mm	F mm	G mm	H mm	K mm	L mm	M mm	N mm	X行程 X travel	X行程 X travel	X行程 X travel	净重(kg) NW
100	100	185	270	87	32	300	250	138	9	85	50	10	200	105	85	22
150	150	250	400	87	32	300	250	188	11	120	72	12	150	215	100	40

AKW 十字回转工作台

AKW Cross & Rotary Table

型号 Model	十字台面尺寸(mm) Table Size for XY table	X行程 X travel	Y行程 Y travel	高度(mm) Hight	回转台面尺寸(mm) Table Size for Rotary	净重(kg) NW
201W	185 × 100	80	50	190	100	19
202W	225 × 175	105	90	195	150	40
203W	330 × 220	190	100	210	200	64

ROTARY TABLES

LB-TSL 立卧回转工作台

LB-TSL Horizontal & Vertical Rotary Table





升级版
Upgrades

内部加轴承
With bearings inside

压板
Pressing plant

LB-TSL型立卧回转工作台是铣床的主要附件之翼，可用在铣床上进行分度钻孔或铣削、圆周切削、镗孔锪平平面等工作。工作台垂直位置与尾座配合使用时，还可以对较复杂的工作进行圆周分度钻削和铣削。

规格 Specification / 项目 Items	HV3	HV4	HV5	HV6	HV8	HV10
工作台直径 Diameter of table mm	76	110	127	150	200	250
台面中心孔锥度(莫氏) Morse table of the center hole	2#				3#	
工作台垂直时中心高 Hight of center for verti. mounting mm	59	81.5	90	100	150	170
台面T型槽宽度 Width of the T-slot mm	8	12				
台面T型槽相邻角度 Adjacent angle of table T-slot	90°	120°		90°		60°
定位键宽度 Width of locating key mm	12			14		
蜗轮副模数 Module of the worm gear	1				1: 75	2
蜗杆副传动比 Transmission ratio of the worm gear	1: 36	1: 72	1: 72	1: 90		
工作台圆周刻度 Graduation of the table	360°					
蜗杆每转所代表的转台度数 Rotating angle of table with revolution of the worm	10°	5°		4°		
游标最小示值 Minimum reading of the vernier	2″					
分度精度 Indexing accuracy	120″			60″		
最大承载(卧式) Max. bearing (with table Hor.) kgs	50	60	80	100	150	200
最大承载(立式) Max. bearing (with table Vert.) kgs	25	30	40	50	75	100
包装尺寸 Packing size	260 × 180 × 140	290 × 220 × 150	340 × 250 × 160	340 × 250 × 160	340 × 350 × 180	390 × 360 × 200
毛重 G.W.	5.5	9	10.6	13.5	25.5	38
净重 N.W.	5	8.3	9.6	12.5	24.5	32

回转工作台安装尺寸



	HV3	HV4	HV5	HV6	HV8	HV10
A	98	145	145	155	285	328
B	115	150	150	170	236	286
C	75	75	75	80	100	110
D	76	110	110	127	200	250
E	12	12	12	12	14	14
F	60	85	85	90	150	170
G	130	140	140	145	210	240

可选配件

Optional Accessories

尾座
Tailstock

法兰盘
Flange

三爪卡盘
Three-jaw chuck

ROTARY TABLES

LB-TSLW 数控立卧回转工作台

LB-TSLW CNC Horizontal & Vertical Rotary Table

Item: 4″ , 6″ , 8″ , 10″

Rotary table Instruction Manual

The Rotary worktable controller has three wires, one of them is power cord connect to DC 24V~48V. Motor should be connected to 4 pin socket aviation connector and motor encoder should be connected to the 6pin socket aviation connector.



Motor spc (please check P11~P12 for other descriptions)

Model	4″	6″	8″	10″
Motor #	57#	60#	86#	86#
Terque	2 N.M.	1.5 N.M.	4.5 N.M.	4.5 N.M.

The function of each key:

Key	Function
Angle	Press the button, use encoder knob to set the angle until angle mark flashing (Angle Range: 0~360°) The button is invalid when the motor is running.
Time	Press the button, use encoder knob to set time until time mark flashing (Range: 0~60min) The button is invalid when the motor is running.
Reset	Reset the actual values.
Forward & Reverse	Switch motor’ s positive rotation and reverse rotation.
Auto & Handle	Switch Auto and handle. Under the handle mode, worktable starts running after press encoder knob button.
Rate	Provide four rates to set, X1, X5 X10.
Start	Start the motor.
Stop	Stop the motor.

Rotary table working process:

Auto mode:

In auto mode, the motor starts running after press start button. It stops when angles actual values same as preset values. It will run again when time actual values as the same as preset values. Then it will run the same angle as the preset values. After cycle repeats, it will stop running when infinitely near 360° .

Handle mode:

Under the handle mode, worktable starts running after press encoder knob button. Working press is the same as auto mode.

WT 可倾工作台

WT Slide AngleTable



WT



型号 Model	A mm	B mm	C mm	D mm	E mm	F mm	G mm	H mm	J mm	旋转角度 Rotation angle	包装数量 Qty/ctn	包装体积(cm) Packing size	净重/毛重(kg) NW/GW
7	180	130	35	95	10	130	176	145	10	±45°	1	30×29×18	7.7/8.5
10	255	180	50	136	16	178	251	210	16	±45°	1	33×23×19	20/22
12	302	241	65	164	16	240	302	255	18	±45°	1	36×28×24	37/39
15	381	255	65	185	16	260	350	300	18	±45°	1	43×31×26	47/49

WTS 旋转可倾工作台

WTS Slide AngleTable With Swivel Base

WTS



型号 Model	A mm	B mm	C mm	D mm	E mm	F mm	G mm	H mm	J mm	旋转角度 Rotation angle	包装数量 Qty/ctn	包装体积(cm) Packing size	净重/毛重(kg) NW/GW
7	180	130	35	150	10	81	205	165	12	±45°	1	35×34×22	13/15
10	255	180	50	200	16	124	272	246	16	±45°	1	31×23×25	33/37
12	302	241	65	232	16	162	350	305	16	±45°	1	36×31×32	55/59

DDP 压力机

DDP Ardor Press

DDP



型号 Model	A mm	B mm	C mm	D mm	E mm	F mm	G mm	H mm	包装数量 Qty/ctn	包装体积(cm) Packing size	净重/毛重(kg) NW/GW
0.5T	259	235	75	49	106	60	90	68	1	25×12×27	9/11
1T	325	270	100	56	130	75	125	85	1	28×15×35	15/16
2T	455	430	150	70	165	100	165	120	1	45×18×46	32/34
3T	595	450	240	75	200	130	195	140	1	52×23×66	52/55

DDP-M 压力机

DDP-M Arbor Press

1T

0.5/2/3/4/5T



型号 Model	A mm	B mm	C mm	D mm	E mm	F mm	G mm	H mm	K mm	包装体积(cm) Packing size	净重(kg) NW
0.5T	235	235	135	60	45	85	100	75	200	30×30×22	7.5
1T	280	270	155	60	45	110	125	90	250	34×34×21	14
2T	390	405	200	100	80	170	170	115	330	47×47×27	27
3T	540	456	240	100	100	170	280	130	455	53×32×65	53
4T	690	540	285	120	125	250	365	190	580	60×35×84	93
5T	796	624	290	120	118	250	450	210	648	65×35×85	122

DDP-G 压力机

DDP-G Arbor Presses



型号 Model	1T	2T	3T
A(mm)	270	430	455
B(mm)	285	395	545
C(mm)	130	170	205
D(mm)	72	100	130
E(mm)	25	32	38
F(mm)	100	170	260
G(mm)	240	345	455
H(mm)	20	25	30
J(mm)	86	120	135
净重/毛重 NW/GW (kg)	14/15	34/36	52/58
包装体积 Packing size (cm)	28×15×35	47×19×48	52×24×65

DDP-J 棘轮压力机

DDP-J Ratchet Type Arbor Presses



型号 Model	A mm	B mm	C mm	D mm	E mm	F mm	G mm	H mm	包装体积(cm) Packing size	净重/毛重(kg) NW/GW
2T	370	190	388	172	32	345	130	205	39×24×48	33/35
3T	456	240	538	172	38	456	130	205	53×32×69	59/65

DDP-ZJ 压力机支架

DDP-ZJ Arbor Press Stand

高度 Hight	930mm
净重/毛重 NW/GW	39/47kg
包装体积 Packing size	90×36×27cm

TDZJ 台式电动工具支架

TDZJ Bench Tool Stand

高度 Hight	835mm
净重/毛重 NW/GW	24.5/28kg
包装体积 Packing size	83×50×15cm

YZJ 滚轴托料支架

YZJ Heavy Duty Roller Stand

最大高度 Max Hight	980mm
最小高度 Min Hight	600mm
净重/毛重 NW/GW	20/22kg
包装体积 Packing size	57×57×14cm

VZJ 滚轴托料支架

VZJ Heavy Duty Roller Stand

最大高度 Max Hight	980mm
最小高度 Min Hight	600mm
净重/毛重 NW/GW	19.5/21kg
包装体积 Packing size	57×57×14cm

VISES

QV自定心机用钳

QV SELF CENTERING MACHINE PLIERS

NEW



型号 Model	A (mm)	B (mm)	C (mm)	D (mm)	E (mm)	F (mm)	G (mm)
6	511	214	494	155	118	156	44

MC机用钳

MC PRECISION MACHINE VISE

NEW





型号 Model	A (mm)	B (mm)	C (mm)	D (mm)	E (mm)	F (mm)
4	465	103	148	48	135	385
6	638	160	168	63	254	510

QW精密机用钳

QW PRECISION MACHINE VISE

NEW







有反向式型号可供选择

Reverse models are available

- 丝杆拉式设计，减小钳体在负载下变形，提高精度。
- 平行度0.005mm/100mm，垂直度0.005mm。
- 表面高频淬火45~50度。
- 角固式活动钳口，使应力自由分解，并产生下压力减少钳口上浮。
- 标配带槽钳口板和工件定位块。
- 钳体、钳口、丝杆螺母均采用高强球墨铸铁(QT500-7)。
- 标配防尘板。

- Screw pull design, reduce the clamp body deformation under load, improve accuracy.
- Parallelism 0.005mm/100mm squareness 0.005mm.
- Surface high frequency quenching 45~50 degrees.
- Lock-fixed type moving jaws, so that the stress free decomposition, and produce downward pressure to reduce the jaws floating up.
- Standard with slot clamp plate and workpiece positioning block.
- High strength ductile iron (QT500-7) is used for the pliers body, jaws and screw nut.
- Standard with dust plate.

型号 Model	A (mm)	B (mm)	C (mm)	D (mm)	E (mm)	F (mm)	G (mm)	平行度 Depth of parallelism	垂直度 Verticality
4	356	102	330	92	165	34	14	0.005	0.005
6	462	153	432	116	230	44	18	0.005	0.005

QX机用钳

QX PRECISION MACHINE VISE

NEW





有反向式型号可供选择

Reverse models are available

- 丝杆拉式设计，减小钳体在负载下变形，提高精度。
- 平行度0.15mm/100mm，垂直度0.15mm。
- 表面淬火35~40度。
- 材质：铸铁HT-200。
- 角固式活动钳口，使应力自由分解，并产生下压力减少钳口上浮。
- 标配带槽钳口板和工件定位块。
- 标配防尘板。

- Screw pull design, reduce the clamp body deformation under load, improve accuracy.Screw pull design, reduce the clamp body deformation under load, improve accuracy.
- Parallelism 0.15mm/100mm squareness 0.15mm.
- Surface quenching 35~40 degrees.
- Material: Cast iron HT-200.
- Lock-fixed type moving jaws, so that the stress free decomposition, and produce downward pressure to reduce the jaws floating up.
- Standard with slot clamp plate and workpiece positioning block.
- Standard with dust plate.

型号 Model	A (mm)	B (mm)	C (mm)	D (mm)	E (mm)	F (mm)	G (mm)	H (mm)
4	350	148	330	102	135	94	34	14
6	431	204	410	150	160	116	44	18
8	524	245	500	200	230	128	50	18

QGG精密工具平口钳

QGG PRECISION TOOL VISES

NEW







- 采用优质合金结构钢制造，工作面硬度HRC58–62。
- 平行度0.005mm/100mm，垂直度0.005mm。
- 夹紧快，操作灵活。
- 用于精密测量和检查，精密磨削及电火花。
- 在工作时无论横立、竖立、平放皆可保持高的精密度。

- Made of high–quality alloy structural steel, with a working surface hardness of HRC58–62.
- Parallelism 0.005mm/100mm, verticality 0.005mm.
- Quick clamping and flexible operation.
- Used for precision measurement and inspection, precision grinding, and electric discharge.
- High precision can be maintained during work, whether horizontally, vertically, or horizontally.

型号 Model	B (mm)	H (mm)	Smax (mm)	L (mm)
QGG25	25	12	17	57
QGG33	33	12	20	57
QGG38	38	12	21	57
QGG38A	38	12	35	72
QGG50	50	25	65	155
QGG60	60	25	55	110
QGG63	63	32	85	190
QGG73	73	35	100	210
QGG80	80	40	100	220
QGG88	88	40	125	250
QGG100	100	45	125	260
QGG125	125	50	160	300
QGG125A	125	50	210	350
QGG150	150	50	175	315
QGG200	200	55	210	350

QKG精密平口钳

QKG PRECISION FLAT NOSE PLIERS

NEW







型号 Model	B (mm)	H (mm)	Smax (mm)	L (mm)
QKG25	26	9.15	22	65.4
QKG36	36	20	40	100
QKG38	38	20	44	105
QKG50	50	25	65	140
QKG63	63	32	85	175
QKG73	73	35	100	190
QKG80	80	40	100	200
QKG88	88	40	125	235
QKG100	100	45	125	245
QKG125	125	50	160	285
QKG150	150	50	200	330
QKG150A	150	50	250	380
QKG150B	150	50	300	430
QKG200	200	60	210	350

扬州力博机械制造科技有限公司
YANGZHOU LIBO MACHINERY MANUFACTURING TECHNOLOGY CO.,LTD

力博 LIBO MACHINERY
www.gylibo.com

地址：江苏高邮市卸甲镇工业园区
Add: Industrial of Xiejia Town, Gaoyou, Jiangsu
电话/TEL：86–514–84733409
传真/FAX：86–514–84505388
外贸部电话 (Foreign trade department tel)：86–519–85186511
手机/mobile phone：13805257409 18901458456
邮箱/E–mail：gylibowtf@126.com
网址/URL：www.gylibo.com https://gylb.en.alibaba.com